REMARKS

This Response is submitted in reply to the Office Action dated March 26, 2008. Claim 1 has been amended. Claims 21 to 96 stand withdrawn. No new matter has been added by the amendments. Please charge deposit account 02-1818 for any fees which are due in connection with this Response.

The Office Action rejected Claims 1 to 4, 12 to 14, 19, and 20 under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 4,716,529 to Nakayama, U.S. Patent No. 7,018,293 to Brown et al. ("Brown"), and in further view of an article titled Endgame Tablebase ("the Endgame article").

Nakayama discloses an electronic game apparatus that stores handicap data for certain types of games such as gobang, Othello, and chess. In one version of Nakayama where the electronic game apparatus of Nakayama is configured for gobang, the game includes game chips or pieces, wherein each chip is black on one side and white on the other side. A player is assigned one chip color and a computer is assigned the other chip color. The chips for the gobang game are placed on a go board. A player and a computer alternate placing their assigned chips on the board for each of a plurality of moves in a game. In the gobang game, when black chips flank a white chip, the white chip is turned over and becomes a black chip. Alternatively, when white chips flank a black chip, the black chip is turned over and becomes a white chip. The player and computer compete to become the first to form eight of their assigned chips in an adjacent line on the board. The electronic game apparatus also enables the player to play the gobang game at different difficulty levels by selecting a handicap. difficulty level included in the gobang game is associated with a database that stores the number of possible moves the computer is configured examine for an optimal game move. For example, as illustrated in Fig. 6, if the player selects the first level, the computer opponent is only configured to determine/analyze one move to make. If the player selects the third level for a more challenging gobang game, the computer is configured to determine the optimal move out of three possible moves. The more moves the computer is able to determine, the greater the likelihood the computer will select the best possible move in response to a player's move. That is, the computer

becomes a better opponent when provided with greater opportunities to examine gobang game moves.

The Endgame article discloses an endgame tablebase that includes all possible chess moves when a limited number of chess pieces remain on a chess board (i.e., certain chess endgames). The Endgame article discloses that in principle, it is possible to solve any game under the condition that the complete state is known and there is no random chance. Solutions are known for simple games such as tic-tac-toe, connect four, and a certain version of checkers. The Endgame article discloses that only chess endgames with up to six pieces have been solved (i.e., endgames for pieces greater than six pieces have not been solved). The Endgame article also discloses that games such as chess from the beginning and Go have not been solved because the games are too complex.

Brown discloses a bonus game including a representation of an Othello type game with a six-by-six grid of squares. The game includes game chips or pieces used in the bonus game, wherein each chip is black on one side and white on the other side. In an example shown in Fig. 8, the player selects a color game piece (for example, the black side). The bonus game begins with four pieces 128, 130, 132, and 134 in the center of the six-by-six board with the player's selected color displayed. Surrounding these four pieces are twelve pieces with the opponent's color which is the color not selected by the player (in this example, the white side). The operation of the bonus game is based on the basic legal move in the Othello type board game, which is placing pieces with the player's color next to any opponent's colored pieces, such that an "outflanking" of the opponent's colored pieces may occur. Outflanking occurs when a game piece with the player's color is placed in an empty square such that one or more of the opponent's pieces are in consecutive squares (in a line) between the new position of the player's piece and another piece of the player's color. This may occur on a horizontal, vertical or diagonal line. After the piece is played, all of the outflanked pieces of the opponent's color are flipped or turned over so that they now show the player's color. According to this game's methodology, a piece cannot be legally placed in an open square that does not outflank one of the opponent's piece.

Brown also discloses that the gaming device uses a random number generator to randomly select one of the twenty open squares on the board. The gaming device can select a legal or illegal open square. Once a square is selected, a new piece with the player's color is placed in the square and any opponent (white in this example) pieces outflanked by the new player piece and another player piece are turned to the player's color (black in this example). After the opponent pieces are flipped, the gaming device determines the number of the player's pieces (black in this example) on the board and highlights the corresponding value in a paytable. The value is displayed to the player in a bonus win meter. The random selection of squares continues until an illegal open square is selected or the 12 pieces are placed on the game board for the player.

Amended independent claim 1 is directed to a method of operating a gaming device that includes displaying a playing board having a plurality of positions, enabling each of a plurality of chips to be placed individually at one of the positions, the chips being either game chips or player chips, wherein placement of one of the game chips that causes at least one player chip to be flanked on opposite sides by game chips converts each the flanked player chip to a game chip, and wherein placement of one of the player chips that causes at least one game chip to be flanked on opposite sides by player chips converts each the flanked game chip to a player chip. The method of operating the gaming device also includes using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero, and awarding the player based on the remaining number of player chips after the player placed the provided amount of player chips onto the positions.

Applicant submits that even if Nakayama, Brown, and the Endgame article are properly combinable, the method of operating a gaming device resulting from such a combination does not disclose that a designated target number of player chips is randomly determined. The combination of Nakayama, Brown, and the Endgame article results in a method of operating a gaming device which includes placing game pieces on a game board to win the game. In such a combination, the game is won based on

the player having a predetermined maximum number of player chips (i.e., all of the chips on the game board are the player's chips) on the game board at the end of the game. Thus, in the combination of Nakayama, Brown, and the Endgame article, game pieces are placed on the game board based on a predetermined number of player chips remaining after a player places each of the provided amount of chips onto the game board. On the other hand, the method of operating a gaming device of amended independent claim 1 includes, amongst other elements, using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero. Moreover, it would not have been obvious to one of ordinary skill in the art to modify Nakayama, Brown, and the Endgame article to result in such a method of operating a gaming device without reasonably being construed as improper hindsight reconstruction.

Applicant also submits that assuming arguendo, that Nakayama, Brown, and the Endgame article are properly combinable, the resulting method of operating a gaming device would function differently than a method of operating a gaming device that includes using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero.

Page 3 the Office Action stated that:

Nakayama does not specifically disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a desired total number of player chips remaining after a player places each of a provided amount of player chips onto the positions.

The Office Action then relied on the Endgame article to disclose a method for determining a game piece move based on a desired number of player pieces remaining at the end of a game.

As previously discussed in the Response to Office Action of September 7, 2007, Brown also does not disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero.

Applicant respectfully disagrees with the Office Action's characterization of the Endgame article and submits that the functionality of games disclosed in the Endgame article (e.g., tic-tac-toe, connect four, checkers, and endgames of chess) do not disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero.

In the games of tic-tac-toe and connect four, the objects of the games are for one opponent to be the first to form an adjacent string of three or four identical player markers respectively without regard to a designated target number of player markers remaining. In the games of tic-tac-toe and connect four, each player is assigned a plurality of identical player markers. The players alternate placing their player markers on a game board until one of the players obtains the winning string of identical player markers. A player's focus in both of the games is to form the winning string of identical player markers. That is, in the games of tic-tac-toe and connect four, achieving a designated target number of player markers remaining on the game board is not a factor for either opponent in achieving the winning string of identical player markers. Thus, unlike the method of operating a gaming device of amended independent claim 1, the combination of Nakayama, Brown, and the Endgame article, when applied to a tictac-toe or a connect four game, does not disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero.

In the game of chess, the object of the game is for each player to capture the opponent's king without regard to the designated target number of player pieces remaining on the game board. In the game of chess, each player starts with a set of a plurality of different player pieces, wherein each set of player pieces includes a king. The players maneuver their player pieces around a game board and attempt to capture their opponent's king. A player's focus in the game is to capture the opponent's king before the player's king is captured. Thus, unlike the method of operating a gaming device of amended independent claim 1, the combination of Nakayama, Brown, and the Endgame article, when applied to a chess game, does not disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips onto the positions, wherein the

In the game of checkers, the object of the game is for one player to capture all of an opponent's markers (i.e., the number of remaining opponent markers is equal to zero). In the game of checkers, the players start with an equal number of assigned player markers on a game board. The players maneuver their assigned markers around the game board and attempt to capture all of their opponent's markers. When a player captures an opponent's marker, the opponent's marker is removed from the game board. When one player has removed all of their opponent's markers from the game board, the player wins the game. That is, in the game of checkers, because the players are focused on reducing the number of their opponent's markers to zero, the game of checkers is functionally different from achieving a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero. Thus, unlike the method of operating a gaming device of amended independent claim 1, the combination of Nakayama, Brown, and the Endgame article, when applied to a checkers game, does not disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a

player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero.

Moreover, it would not have been obvious to one of ordinary skill in the art to modify Nakayama, Brown, and the Endgame article to result in such a method of operating a gaming device without reasonably being construed as improper hindsight reconstruction. On the other hand, the method of operating a gaming device of amended independent claim 1 includes, amongst other elements, using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero.

Applicant further submits that in addition to the above described deficiencies which occur when Nakayama, Brown, and the Endgame article are combined, Nakayama and Brown are not properly combinable with the Endgame article because the Endgame article expressly disclaims that endgame tablebases can be applied to complex games such as Othello. Specifically, the Endgame article discloses that only chess games with a maximum of six remaining chess pieces have been solved. The Endgame article also discloses that games such as chess (from the starting position) and Go have not been solved because the complexity of these games is too vast for computers to evaluate for all possible positions. That is, endgame tablebases do not exist for games such as chess (from the starting position) and Go because these games remain unsolved. The Endgame article also does not disclose if any endgame tablebases exist for Othello. Similar to the game of chess (from the starting position) and Go, the game of Othello is a complex game that includes a large number of game pieces and requires a player to evaluate numerous potential game moves with each player turn of placing a game chip at a position on the playing board. The games disclosed in both Nakayama and Brown relate to complex games based on Othello. Accordingly, based on the disclosed limitations of the endgame tablebases operating with complex games such as Othello, the Endgame article is not properly combinable with the game of Nakayama or the game of Brown because these games are based on Othello.

Moreover, regardless of the express disclaimer described above, Applicant submits that the Endgame article is not properly combinable with and teaches away from Nakayama and Brown because the Endgame article is applicable for games of decreasing complexity as the game progresses, while Nakayama and Brown are directed to games of increasing complexity as the game progresses. For example, in a game of chess, at the beginning of the game, the chess board includes the maximum number of game pieces, wherein as the game progresses, game pieces are eliminated from the game board. The reduction in game pieces thus reduces the complexity of the chess game. In this example, once the number of chess game pieces is reduced to six or fewer pieces, the complexity of the chess game has been reduced to the point that the endgame tablebases can be applied to solve the game. In contrast, in games such as Othello, the game begins with a limited number of game pieces, wherein as the game progresses, more game pieces are added to the game board. With the addition of each additional game piece that is added as the game of Othello progresses, the players must contend with additional game moves to consider. The additional game pieces and possible moves to consider with each player turn increases the level of complexity of the game, rather than reduces the complexity of the game. Applicant therefore submits that Nakayama and Brown are not properly combinable with the Endgame article, the rejections are improper and should be withdrawn.

Accordingly, for at least these reasons, Applicant respectfully submits that amended independent claim 1 is patentably distinguished over Nakayama and Brown in view of the Endgame article and is condition for allowance.

Claims 2 to 4, 12 to 14, 19, and 20 depend directly or indirectly from amended independent claim 1 and are also allowable for the reasons given with respect to amended independent claim 1 and because of the additional features recited in these claims.

The Office Action rejected claims 5 to 11 under 35 U.S.C. 103(a) as being unpatentable over Nakayama, Brown et al. ("Brown"), the Endgame article, and further in view of U.S. Patent No. 6,439,995 to Hughs-Baird et al. ("Hughs-Baird").

Hughs-Baird discloses an apparatus and method that includes a gaming device having a bonus round with multiple selection groups. The bonus round does not end upon an end-bonus indicator; rather, the bonus round ends when the player chooses a predetermined number of selections from the last or final selection group. The last or final selection group includes an award indicator associated with each selection. In one embodiment of Hughs-Baird, the number of player choices or picks in the final selection group is determined from a selection group preceding the final selection group. However, the number of picks could be determined in any suitable manner.

Page 8 of the Office Action stated that:

It would have been obvious to one of ordinary skill in the art at the time of the invention to combine the teachings of Nakayama, Brown and Hughs-Baird in order to provide a bonus game wherein awarding the player is based on a combination of values associated with positions having player chips as the inventions are analogous gaming devices in the same field of endeavor.

Applicant submits that regardless of whether it would have been obvious to include a bonus game wherein awarding the player is based on a combination of values associated with positions having player chips, neither Nakayama, Brown, and further in view of the Endgame article nor Hughs-Baird individually or in combination, disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero. Moreover, it would not have been obvious to one of ordinary skill in the art to modify Nakayama, Brown, and further in view of the Endgame article and Hughs-Baird to result in such a method of operating a gaming device without reasonably being construed as improper hindsight reconstruction. On the other hand, claims 5 to 11 each includes using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero. Accordingly, for this reason and the reasons provided with respect to amended independent claim 1, Applicant respectfully

submits that claims 5 to 11 are patentably distinguished over Nakayama, Brown, the Endgame article and further in view of Hughs-Baird and are in condition for allowance.

The Office Action rejected claims 15 to 18 under 35 U.S.C. 103(a) as being unpatentable over Nakayama, Brown et al. ("Brown"), the Endgame article, and further in view of U.S. Published Patent Application No. 2002/0090988 to Frost et al. ("Frost").

Frost discloses a gaming table in which the outcome of the game is determined manually, and in which players place bets electronically and wins or losses are calculated electronically. The gaming system is applicable to any suitable game including roulette.

Page 9 of the Office Action stated that:

It would have been obvious to combine the teachings of Brown, Watanabe, and Frost in order to provide a game wherein awarding the player is based on a combination of values associated with chips as the inventions are analogous gaming devices in the same field of endeavor.

Applicant submits that regardless of whether it would have been obvious to include a game wherein awarding the player is based on a combination of values associated with chips, neither Nakayama, Brown, and further in view of the Endgame article nor Frost individually or in combination, disclose using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero. Moreover, it would not have been obvious to one of ordinary skill in the art to modify Nakayama, Brown, and further in view of the Endgame article and Frost to result in such a method of operating a gaming device without reasonably being construed as improper hindsight reconstruction. On the other hand, claims 15 to 18 each includes using a table in memory to place at least one game chip at one of the positions, wherein the table is weighted according to a designated target number of player chips remaining after a player places each of a provided amount of player chips onto the positions, wherein the designated target number of player chips is randomly determined and greater than zero. Accordingly, for this reason and the reasons provided with respect to amended independent claim 1, Applicant submits that claims 15 to 18 are patentably

Appl. No. 10/657,409 Response to Office Action of March 26, 2008

distinguished over Nakayama, Brown, in view of the Endgame article, and further in view of Frost and are in condition for allowance.

An earnest endeavor has been made to place this application in condition for formal allowance and in the absence of more pertinent art such action is courteously solicited. If the Examiner has any questions regarding this Response, Applicant respectfully requests that the Examiner contact the undersigned.

Respectfully submitted,

BELL, BOYD & LLOYD LLP

BY

Holby Abern Reg. No. 47,372 Customer No. 29159

Dated: June 20, 2008